



**Acquirer JCB Dual Interface
EMV™ Test Card Set
Summary**

Version 1.00

July, 2018

Powered by B2»

Disclaimer

Information provided in this document describes capabilities available at the time of developing and delivering this document and the associated test cards and information available from industry sources. This document is intended to be used as a guideline only and B2 Payment Solutions, Inc. and/or its affiliates accept no liability for any errors or omissions in this document and/or for any results of client's reliance thereon.

Copyright

© 2018 by B2 Payment Solutions, Inc. All rights reserved. All information and data contained herein and within the associated test cards is confidential and proprietary to B2 Payment Solutions. Such information shall not be disclosed, duplicated, reverse-engineered or used in part or in whole, for any purpose without prior written consent from B2 Payment Solutions, Inc. other than specific internal, non-commercial, non-assignable use in conjunction with the Acquirer JCB Dual Interface EMV™ Test Card Set (4 cards) only.

Attribution

EMV™ is a trademark owned by EMVCo LLC.

The trademarked symbol seen below is a registered trademarks of JCB Co. Ltd



B2 Contact Information

251 Consumers Road, Suite 1200, Toronto, ON M2J 4R3
555 Northpoint Center, Suite 400, Alpharetta, GA 30022
Tel: 416.730.9827 www.b2ps.com

Revision History

Version	Date	Updated By	Revisions
1.00	July 4, 2018	B2PS	• Initial document release



Table of Contents

Chapter 1 - Acquirer JCB DI EMV™ Test Card Set Profiles	2
1.1 Test Card A - JCB, DI, Japanese/English, JPN, JPY, CTLS EMV	4
1.1.1 Contact Interface: CVM List - AID A0000000651010	4
1.1.2 Contactless Interface: CVM List - AID A0000000651010	4
1.2 Test Card B - JCB, DI, Japanese/English, JPN, JPY, CTLS Mag-stripe	4
1.2.1 Contact Interface: CVM List - AID A0000000651010	4
1.3 Test Card C - JCB, DI, Chinese/English, TWN, TWD	5
1.3.1 Contact Interface: CVM List - AID A0000000651010	5
1.3.2 Contactless Interface: CVM List - AID A0000000651010	5
1.4 Test Card F - JCB, Magstripe-only, Fallback Card	5



CAUTION

Multiple consecutive incorrect PIN entry attempts may result in the card being blocked.
This is known as being 'PIN Blocked'.

If this occurs, it will no longer be possible to enter an Offline PIN,
which will cause all future transactions to be declined.

***** It is not possible to unblock a 'PIN Blocked' card *****

Chapter 1 - Acquirer JCB DI EMV™ Test Card Set Profiles

This Acquirer JCB Dual Interface EMV™ Test Card Set contains 4 cards: 3 Dual Interface EMV JCB cards and one magstripe-only card used for non-EMV testing or Fallback testing.



	Test Card A	Test Card B	Test Card C
Brand	JCB	JCB	JCB
Description (Card - Types)	Credit, CTLS EMV	Credit, CTLS Mag-stripe	Credit
AID list	A0000000651010	A0000000651010	A0000000651010
PAN list	3569 9900 1008 2211	3569 9900 1008 2211	3569 9900 1008 2211
Expiry Date	12/2021	12/2021	12/2021
Service Code	-	-	-
Interface	Contact, Contactless, MSR	Contact, Contactless, MSR	Contact, Contactless, MSR
CVM	See card definition	See card definition	See card definition
Approval Amount	\$10.00	\$10.00	\$10.00
Issuer Country Code	392 - JPN	392 - JPN	158 - TWN
Application Currency Code	392 - JPY	392 - JPY	901 - TWD
Language	'jaen' - Japanese, English	'jaen' - Japanese, English	'zhen' - Chinese, English
Card Version	v1.0	v1.0	v1.0



	Test Card F
Brand	JCB
Description (Card - Types)	Credit - Fallback
AID list	-
PAN list	3569 9900 1008 2211
Expiry Date	12/2021
Service Code	201
Interface	MSR
CVM	See card definition
Approval Amount	\$10.00
Issuer Country Code	-
Application Currency Code	-
Language	-
Card Version	v1.0



1.1 Test Card A - JCB, DI, Japanese/English, JPN, JPY, CTLS EMV

A Dual Interface, single-AID(JCB) credit card with an Issuer Country Code of 'Japan' and Currency Code of 'JPY'. Languages supported are Japanese and English. The contactless application operates in EMV mode.

The recommended transaction amount to generate a host approval is \$10.00.

1.1.1 Contact Interface: CVM List - AID A0000000651010

Cardholder Verification Method List ('4403 4103 1E03 0203 1F00')			
CVM	Verification Method	Conditions	If unsuccessful
1	Offline PIN	Terminal supports CVM type	Next CVM
2	Offline Plaintext PIN	Terminal supports CVM type	Next CVM
3	Signature (paper)	Terminal supports CVM type	Fail
4	Online PIN	Terminal supports CVM type	Fail
5	No CVM required	Always	Fail

1.1.2 Contactless Interface: CVM List - AID A0000000651010

Cardholder Verification Method List ('1E03 0203 1F00')			
CVM	Verification Method	Conditions	If unsuccessful
1	Signature (paper)	Terminal supports CVM type	Fail
2	Online PIN	Terminal supports CVM type	Fail
3	No CVM required	Always	Fail

1.2 Test Card B - JCB, DI, Japanese/English, JPN, JPY, CTLS Mag-stripe

A Dual Interface, single-AID(JCB) credit card with an Issuer Country Code of 'Japan' and Currency Code of 'JPY'. Languages supported are Japanese and English. The contactless application operates in Mag-stripe mode.

The recommended transaction amount to generate a host approval is \$10.00.

1.2.1 Contact Interface: CVM List - AID A0000000651010

Cardholder Verification Method List ('4403 4103 1E03 0203 1F00')			
CVM	Verification Method	Conditions	If unsuccessful
1	Signature (paper)	Terminal supports CVM type	Fail
2	Online PIN	Terminal supports CVM type	Fail
3	No CVM required	Always	Fail



1.3 Test Card C - JCB, DI, Chinese/English, TWN, TWD

A Dual Interface, single-AID(JCB) credit card with an Issuer Country Code of 'Taiwan' and Currency Code of 'TWD'. Languages supported are Japanese and English.

The recommended transaction amount to generate a host approval is \$10.00.

1.3.1 Contact Interface: CVM List - AID A0000000651010

Cardholder Verification Method List ('0201 1E03 1F03')			
CVM	Verification Method	Conditions	If unsuccessful
1	Online PIN	Unattended Cash	Fail
2	Signature (paper)	Terminal supports CVM type	Fail
3	No CVM required	Terminal supports CVM type	Fail

1.3.2 Contactless Interface: CVM List - AID A0000000651010

Cardholder Verification Method List ('1E03 1F00')			
CVM	Verification Method	Conditions	If unsuccessful
1	Signature (paper)	Terminal supports CVM type	Fail
2	No CVM required	Always	Fail

1.4 Test Card F - JCB, Magstripe-only, Fallback Card

This card does not contain a chip.

If inserted, a chip error will be detected.

This should trigger Technical Fallback processing and the transaction should continue as a magstripe Technical Fallback transaction.

The recommended transaction amount to generate a host approval is \$10.00.