



First Data U.S. Debit Test Card Set Summary

Version 1.20

August, 2016

Disclaimer

Information provided in this document describes capabilities available at the time of developing and delivering this document and the associated test cards and information available from industry sources. This document is intended to be used as a guideline only and B2 Payment Solutions, Inc. and/or its affiliates accept no liability for any errors or omissions in this document and/or for any results of client's reliance thereon.

Copyright

© 2016 by B2 Payment Solutions, Inc. All rights reserved. All information and data contained herein and within the associated test cards is confidential and proprietary to B2 Payment Solutions. Such information shall not be disclosed, duplicated, reverse-engineered or used in part or in whole, for any purpose without prior written consent from B2 Payment Solutions, Inc. other than specific internal, non-commercial, non-assignable use in conjunction with the First Data U.S. Debit EMV™ Test Card Set (2 cards) only.

Attribution

EMV™ is a trademark owned by EMVCo LLC.

All trademarked symbols seen below are registered trademarks of their respective organizations: Interac Association, Mastercard International Incorporated and Visa Inc.



B2 Contact Information

251 Consumers Road, Suite 1200 Toronto, ON M2J 4R3
555 Northpoint Center, Suite 400, Alpharetta, GA 30022
Tel: 855.730.9827 www.b2ps.com

Revision History

Version	Date	Updated By	Revisions
1.20	August 20, 2016	B2PS	Initial document release

Table of Contents

Chapter 1 - First Data Debit Test Card Profiles.....	2
1.1 Test Card 01 – Visa, Debit, English, USA, USD.....	3
1.1.1 Cardholder Verification Method List (Tag 8E) – AID (A0000000031010).....	3
1.2 Test Card 02 – MasterCard, Debit, English, USA, USD	3
1.2.1 Cardholder Verification Method List (Tag 8E) – AID (A0000000041010).....	3

CAUTION

Multiple consecutive incorrect PIN entry attempts may result in the card being blocked. This is known as being 'PIN Blocked'.

If this occurs, it will no longer be possible to enter an Offline PIN which will cause all future transactions to be declined.

***** It is not possible to unblock a 'PIN Blocked' card *****

Chapter 1 - First Data Debit Test Card Profiles

This Test Card Set contains two cards, defined as follows:

	Test Card 01	Test Card 02
Brand	Visa	MasterCard
Type	Debit	Debit
IIN	476173	541333
AID	A0000000980840	A0000000042203
PAN	476173 ***** 0176	541333 ***** 9130
Expiry Date	01/2022	01/2022
Service Code	201	201
Interface	Contact, MSR	Contact, MSR
CVM	See card definition	See card definition
Approval Amount	\$10.00	\$20.00
Online / Offline	Online Only	Online Only
Issuer Country Code	840 (USA)	840 (USA)
Application Currency Code	840 (USD)	840 (USD)
Language	'en' – English	'en' – English
Application Confirmation	No	No
Card Purpose	U.S. Common Debit	U.S. Maestro Debit
Card Version	v1.0	v1.0

1.1 Test Card 01 – Visa, Debit, English, USA, USD

A Visa debit card with Issuer Country Code of ‘USA’ and Currency Code of ‘USD’.

The recommended transaction amount to generate a host approval is \$10.00.

1.1.1 Cardholder Verification Method List (Tag 8E) – AID (A0000000031010)

Cardholder Verification Method List ('02010004020542001F00')			
CVM	Verification Method	Conditions	If unsuccessful
1	Online PIN	Unattended Cash	Fail
2	Fail CVM Processing	Manual Cash	Fail
3	Online PIN	Purchase with Cashback	Fail
4	Online PIN	Always	Next CVM
5	No CVM required	Always	Fail

1.2 Test Card 02 – MasterCard, Debit, English, USA, USD

A MasterCard debit card with Issuer Country Code of ‘USA’ and Application Currency Code of ‘USD’.

The recommended transaction amount to generate a host approval is \$20.00.

1.2.1 Cardholder Verification Method List (Tag 8E) – AID (A0000000041010)

Cardholder Verification Method List ('02054203440341031F03')			
CVM	Verification Method	Conditions	If unsuccessful
1	Online PIN	Purchase with Cashback	Fail
2	Online PIN	Terminal supports CVM type	Next CVM
3	Offline PIN	Terminal supports CVM type	Next CVM
4	Offline Plaintext PIN	Terminal supports CVM type	Next CVM
5	No CVM required	Terminal supports CVM type	Fail