



# User Acceptance Test (UAT) Flash BIN '00' EMV™ Test Card Set

Version 4.00

March 2022

Powered by **B2»**

To view this document online,  
scan QR Code below.



## **Disclaimer**

Information provided in this document describes capabilities available at the time of developing and delivering this document and the associated test cards and information available from industry sources. This document is intended to be used as a guideline only and B2 Payment Solutions, Inc. and/or its affiliates accept no liability for any errors or omissions in this document and/or for any results of client's reliance thereon.

## **Copyright**

© 2020 by B2 Payment Solutions, Inc. All rights reserved. All information and data contained herein and within the associated test cards is confidential and proprietary to B2 Payment Solutions. Such information shall not be disclosed, duplicated, reverse-engineered or used in part or in whole, for any purpose without prior written consent from B2 Payment Solutions, Inc. other than specific internal, non-commercial, non-assignable use in conjunction with the UAT Flash BIN '00' EMV™ Test Card Set (2 cards) only.

## **Attribution**

EMV™ is a trademark owned by EMVCo LLC.

All trademarked symbols seen below are registered trademarks of their respective organizations:  
Interac Association.



## **B2 Contact Information**

[www.b2ps.com](http://www.b2ps.com)

Canada  
251 Consumers Road, Suite 1200, Toronto, ON M2J 4R3  
Tel: 416.730.9827

U.S.A.  
1615 S. Congress Avenue, Suite 103, Delray Beach, FL 33445  
Tel: 470.233.7374

## Revision History

Version	Date	Updated By	Revisions
1.00	October 8, 2020	B2PS	<ul style="list-style-type: none"><li>Initial document release</li></ul>
2.00	February 18, 2021	B2PS	<ul style="list-style-type: none"><li>TC01, TC02: MTI (Contactless) tags 9F52, 9F54, 9F55, 9F56, 9F57 updated.</li></ul>
2.01	November 5, 2021	B2PS	<ul style="list-style-type: none"><li>TC01, TC02: Correction to typos in card description text</li></ul>
3.00	March 4, 2022	B2PS	<ul style="list-style-type: none"><li>TC01, TC02: New PAN, DES Keys, KDI</li></ul>
4.00	March 15, 2022	B2PS	<ul style="list-style-type: none"><li>TC01, TC02: New 16-digit PAN</li></ul>

## Table of Contents

**Chapter 1 - User Acceptance Test Flash BIN '00' EMV Test Card Set Profiles.....2**

- 1.1 Test Card 01 - Interac, DI, 1-AID (Interac), English/French, CAN, CAD..... 3**
  - 1.1.1 Contact: CVM List - Interac, AID A0000002771010 (EMV) .....3
  - 1.1.2 Contact: Application Tag data, AID A0000002771010 (EMV) .....3
  - 1.1.3 CTLS: CVM List - AID A0000002771010 (Flash) .....5
  - 1.1.4 CTLS: Application Tag data, AID A0000002771010 (Flash) .....5
- 1.2 Test Card 02 - Interac, DI, 1-AID (Interac), French/English, CAN, CAD..... 8**
  - 1.2.1 Contact: CVM List - Interac, AID A0000002771010 (EMV) .....8
  - 1.2.2 Contact: Application Tag data, AID A0000002771010 (EMV) .....8
  - 1.2.3 CTLS: CVM List - Interac Flash, AID A0000002771010 (Flash).....10
  - 1.2.4 CTLS: Application Tag data, AID A0000002771010 (Flash) .....10

**Chapter 2 - ASCII Character Conversion Chart..... 13**

**CAUTION**

Multiple consecutive incorrect PIN entry attempts may result in the card being blocked.  
 This is known as being 'PIN Blocked'.  
 If this occurs, it will no longer be possible to enter an Offline PIN,  
 which will cause all future transactions to be declined.

**\*\*\* It is not possible to unblock a 'PIN Blocked' card \*\*\***

**IMPORTANT NOTICES**

The Interac Flash test cards in this set have a '001203' BIN range. These cards are supported by all Canadian processors but are not yet supported by all U.S. and International processors.

**\*\*\*\* Check with your acquirer account representative to determine if this Interac Flash BIN range is supported by their development host. If your processor does not yet support Interac Flash, the card will function properly at the POS device but it will not obtain a host approval. \*\*\*\***

**IMPORTANT TECHNICAL NOTICE from Interac – ACQUIRERS' SUPPORT**

Link to Interac document: [Interac Letter - Issuer simulator setup for Flash Cards](#)

“When using the contact interface in an Acquirer test environment, the Issuer simulator must be configured to return value '88 40' in ARPCrc response (ARPCrc byte 1 bits 6-3 should be set to zero).

***Unless issuer simulator is configured to return '88 40', a contact transaction may block the card.”***

***--- B2 will charge to replace cards blocked in this manner ---***

## Chapter 1 - User Acceptance Test Flash BIN '00' EMV Test Card Set Profiles

This User Acceptance Test (UAT) Flash BIN '00' EMV Test Card Set contains 2 Interac cards.



	Test Card 01	Test Card 02
<b>Brand</b>	Interac	Interac
<b>Description (Card - Types)</b>	Canadian Debit	Canadian Debit
<b>AID list</b>	A0000002771010	A0000002771010
<b>PAN list</b>	001203 ***** 0003	001203 ***** 0003
<b>Expiry Date</b>	12/2028	12/2028
<b>Service Code</b>	220	220
<b>Interface</b>	Contactless, Contact, MSR	Contactless, Contact, MSR
<b>CVM (Contact) Default Condition: Terminal Supports CVM</b>	Offline Enciphered PIN Offline Plaintext PIN Online PIN <a href="#">See card definition</a>	Offline Enciphered PIN Offline Plaintext PIN Online PIN <a href="#">See card definition</a>
<b>Approval Amount</b>	\$10.00	\$10.00
<b>Issuer Country Code</b>	124 - CAN	124 - CAN
<b>Application Currency Code</b>	124 -CAD	124 - CAD
<b>Language</b>	'enfr' - English, French	'fren' - French, English
<b>Card Version</b>	v5.x	v5.x

### Notes:

- Both cards support Offline Enciphered PIN (OEP) for Contact transactions
- Both cards support CDA using a 1984-bit length CA Public Key and Issuer Public key

### 1.1 Test Card 01 - Interac, DI, 1-AID (Interac), English/French, CAN, CAD

A Dual Interface (Contact / Contactless), Interac (Canadian) debit card with an Issuer Country Code of 'Canada' and Currency Code of 'CAD'. Languages supported are English and French.

All Merchant Type Indicator (MTI) Limits (tags 9F52, 9F54, 9F55, 9F56, 9F57) set to \$250.01

The recommended transaction amount to generate a host approval is \$10.00.

#### 1.1.1 Contact: CVM List - Interac, AID A000002771010 (EMV)

Cardholder Verification Method List ('0403 0103 0203')			
CVM	Verification Method	Conditions	If unsuccessful
1	Offline Enciphered PIN	Terminal supports CVM type	Fail
2	Offline Plaintext PIN	Terminal supports CVM type	Fail
3	Online PIN	Terminal supports CVM type	Fail

#### 1.1.2 Contact: Application Tag data, AID A000002771010 (EMV)

Tag	Element name	Data	v5.x
50	Application Label	49 6E 74 65 72 61 63 - 'Interac'	
57	Track 2 Equivalent Data	00 12 03 00 00 00 00 03 D2 81 22 20 08 97 74 00 00 00 1F	
5A	Application Primary Account Number (PAN)	00 12 03 00 00 00 00 03	
5F 20	Cardholder Name	55 41 54 20 49 4E 54 46 4C 2F 54 45 53 54 20 43 41 52 44 20 30 31 20 20 20 20 - 'UAT INTFL/Test Card 01'	
5F 24	Application Expiration Date	28 12 31	
5F 25	Application Effective Date	xx xx xx	
5F 28	Issuer Country Code	01 24 - CAN	
5F 2D	Language Preference	65 6E 66 72 - 'enfr' (English, French)	
5F 30	Service Code	02 20	
5F 34	Application PAN Sequence Number	01	
5F 56	Issuer Country Code (alpha3 format)	43 41 4E - 'CAN'	
82	Application Interchange Profile	19 00 BYTE 1: b7 - Offline SDA NOT supported b6 - Offline DDA NOT supported b5 - Cardholder verification supported b4 - Terminal risk mgmt to be performed b3 - Issuer authentication NOT supported b1 - Combined DDA / GEN AC supported BYTE 2: b8 - EMV Contactless NOT supported	
84	Dedicated File (DF) Name	A0 00 00 02 77 10 10	
87	Application Priority Indicator	01	
8C	Card Risk Management Data Object List 1 (CDOL1)	9F 02 06 9F 03 06 9F 1A 02 95 05 5F 2A 02 9A 03 9C 01 9F 37 04 9F 45 02 9F 4C 08 9F 34 03	
8D	Card Risk Management Data Object List 2 (CDOL2)	91 0A 8A 02 95 05 9F 37 04 9F 4C 08	
8E	Cardholder Verification Method (CVM) List	00 00 00 00 00 00 00 00 04 03 01 03 02 03	
8F	Certification Authority Public Key Index	07	

Tag	Element name	Data	v5.x
90	Issuer Public Key Certificate	7E 37 FF 15 A4 88 1C 32 6D 5F 61 E4 D7 4A 00 39 24 76 D5 44 80 B9 16 92 4A 70 65 B7 B3 40 F3 1F A4 86 84 E1 99 CE 82 DA 3F F6 0C 77 4A 13 D0 0B C8 46 7B 87 1C 9E 00 40 28 FA 44 D9 55 38 0E D5 50 F9 F0 C8 B0 3B 3F 9A CE 0F FA FA 8B A6 B4 0C F9 69 A9 72 AF C9 D1 EC 56 25 A0 0B B8 0E E0 38 6E 57 22 BD FC 5C 7D 89 0C 71 5F 54 67 4F CE B2 0B 5E 0E 80 E8 77 0B 59 9E A4 E6 15 D8 60 2D 30 37 F4 CB B2 CC 6F 4D B2 99 34 78 FC CE 47 A5 23 59 AA 00 A4 94 C5 87 BB D3 2F 3B 64 A9 2E F8 77 47 25 66 A1 A7 24 F2 0B BB C8 24 26 9C 34 80 22 EF E7 83 85 13 A7 AD 3B DE 7B 2B 3D B8 8F 5F B3 A1 DA 45 B8 38 14 16 A1 0F 77 7E 55 07 B8 05 48 33 D3 99 97 C1 5B 34 34 E0 86 A7 B6 7F 6B B0 29 60 E1 F5 59 20 DC 2E 12 38 91 DA 23 34 03 AA D3 97 75 0F 44 56 09 CD 2A	
94	Application File Locator (AFL)	08 01 04 00 10 01 01 01 18 01 04 01	
9F 07	Application Usage Control	FF 00 BYTE 1: b8 - Domestic cash trans. valid b7 - Int'l cash transactions valid b6 - Domestic goods valid b5 - International goods valid b4 - Domestic services valid b3 - International services valid b2 - ATMs valid b1 - non-ATM terminals valid BYTE 2: b8 - Domestic cashback NOT allowed b7 - International cashback NOT allowed	
9F 08	Application Version Number	00 02	
9F 0D	Issuer Action Code - Default	FC 78 FC A8 40	
9F 0E	Issuer Action Code - Denial	00 00 00 00 00	
9F 0F	Issuer Action Code - Online	FC F8 FC F8 70	
9F 10	Issuer Application Data [InteracFlash]	xx 02 xx *	
9F 13	Last Online Application Transaction Counter (ATC) Register	xx xx *	
9F 17	Personal Identification Number (PIN) Try Counter	99	
9F 27	Cryptogram Information Data (CID)	80	
9F 32	Issuer Public Key Exponent	01 00 01	
9F 36	Application Transaction Counter (ATC)	xx xx *	
9F 42	Application Currency Code	01 24 - CAD	
9F 44	Application Currency Exponent	02	

Tag	Element name	Data	v5.x
9F 46	ICC Public Key Certificate	29 0C FE EB BE CA C1 41 70 05 2B 8F 34 D2 54 D9 78 A0 2E 15 A1 20 34 15 6F F0 9A 7A F5 91 B0 BA 71 49 41 ED C9 83 E9 EF E4 DA 81 47 59 B9 71 F0 27 24 D2 A0 46 2B 66 CE 76 4E 17 66 83 4A EF 32 AB 10 F2 F7 32 E3 34 2E 96 92 C9 C2 B7 47 D9 20 BF AF B6 DB AB F1 01 61 10 04 FE 69 9C AB 3D 75 56 BC 09 78 9F EB 09 E7 DB 2A 53 5C 93 30 01 08 11 89 CF 26 64 23 79 43 49 60 BE F0 12 78 B2 69 1C 5B E2 A3 A5 83 C2 E4 79 A0 B9 D4 3E 66 38 35 D2 E0 F5 A3 17 33 75 73 22 63 6F 13 E7 4D 05 43 7E 58 FD AA 99 E7 3E DA FE 97 65 AE E3 07 AE 46	
9F 47	ICC Public Key Exponent	01 00 01	
9F 48	ICC Public Key Remainder	D4 4C EF 65 FC EC 69 10 49 DF	
9F 4A	Static Data Authentication Tag List	82	
9F 4D	Transaction Log Entry	0B 0A	
9F 4F	Transaction Log Format	9F 02 06 5F 2A 02 9A 03 9F 36 02 9F 1A 02 95 05 9C 01 8A 02	
9F 62	Card Product Code [InteracFlash]	00 01	
9F 70	Form Factor Indicator [InteracFlash]	00	
DF 62	Application Selection Flag [Canada]	80 80	

\* Tag value changes with card usage

1.1.3 CTLS: CVM List - AID A000002771010 (Flash)

Cardholder Verification Method List ('0203 1F03')			
CVM	Verification Method	Conditions	If unsuccessful
1	Online PIN	Terminal supports CVM type	Fail
2	No CVM required	Terminal supports CVM type	Fail

1.1.4 CTLS: Application Tag data, AID A000002771010 (Flash)

Tag	Element name	Data	v5.x
50	Application Label	49 6E 74 65 72 61 63 - 'Interac'	
57	Track 2 Equivalent Data	00 12 03 00 00 00 00 03 D2 81 22 20 08 97 74 00 00 00 1F	
5A	Application Primary Account Number (PAN)	00 12 03 00 00 00 00 03	
5F 24	Application Expiration Date	28 12 31	
5F 25	Application Effective Date	xx xx xx	
5F 28	Issuer Country Code	01 24 - CAN	
5F 2D	Language Preference	65 6E 66 72 - 'enfr' (English, French)	
5F 30	Service Code	02 20	
5F 34	Application PAN Sequence Number	01	
5F 56	Issuer Country Code (alpha3 format)	43 41 4E - 'CAN'	



Tag	Element name	Data	v5.x
82	Application Interchange Profile	01 00 BYTE 1: b7 - Offline SDA NOT supported b6 - Offline DDA NOT supported b5 - Cardholder verification NOT supported b4 - Terminal risk mgmt NOT to be performed b3 - Issuer authentication NOT supported b1 - Combined DDA / GEN AC supported BYTE 2: b8 - EMV Contactless NOT supported	
84	Dedicated File (DF) Name	A0 00 00 02 77 10 10	
87	Application Priority Indicator	01	
8C	Card Risk Management Data Object List 1 (CDOL1)	9F 02 06 9F 03 06 9F 1A 02 95 05 5F 2A 02 9A 03 9C 01 9F 37 04 9F 45 02 9F 4C 08 9F 34 03	
8F	Certification Authority Public Key Index	07	
90	Issuer Public Key Certificate	7E 37 FF 15 A4 88 1C 32 6D 5F 61 E4 D7 4A 00 39 24 76 D5 44 80 B9 16 92 4A 70 65 B7 B3 40 F3 1F A4 86 84 E1 99 CE 82 DA 3F F6 0C 77 4A 13 D0 0B C8 46 7B 87 1C 9E 00 40 28 FA 44 D9 55 38 0E D5 50 F9 F0 C8 B0 3B 3F 9A CE 0F FA FA 8B A6 B4 0C F9 69 A9 72 AF C9 D1 EC 56 25 A0 0B B8 0E E0 38 6E 57 22 BD FC 5C 7D 89 0C 71 5F 54 67 4F CE B2 0B 5E 0E 80 E8 77 0B 59 9E A4 E6 15 D8 60 2D 30 37 F4 CB B2 CC 6F 4D B2 99 34 78 FC CE 47 A5 23 59 AA 00 A4 94 C5 87 BB D3 2F 3B 64 A9 2E F8 77 47 25 66 A1 A7 24 F2 0B BB C8 24 26 9C 34 80 22 EF E7 83 85 13 A7 AD 3B DE 7B 2B 3D B8 8F 5F B3 A1 DA 45 B8 38 14 16 A1 0F 77 7E 55 07 B8 05 48 33 D3 99 97 C1 5B 34 34 E0 86 A7 B6 7F 6B B0 29 60 E1 F5 59 20 DC 2E 12 38 91 DA 23 34 03 AA D3 97 75 0F 44 56 09 CD 2A	
94	Application File Locator (AFL)	08 01 04 00 10 01 05 03	
9F 07	Application Usage Control	FF 00 BYTE 1: b8 - Domestic cash trans. valid b7 - Int'l cash transactions valid b6 - Domestic goods valid b5 - International goods valid b4 - Domestic services valid b3 - International services valid b2 - ATMs valid b1 - non-ATM terminals valid BYTE 2: b8 - Domestic cashback NOT allowed b7 - International cashback NOT allowed	
9F 08	Application Version Number	00 02	
9F 0D	Issuer Action Code - Default	FC F8 FC F8 00	
9F 0E	Issuer Action Code - Denial	00 00 00 00 00	
9F 0F	Issuer Action Code - Online	FC F8 FC F8 00	

Tag	Element name	Data	v5.x
9F 10	Issuer Application Data [InteracFlash]	xx 02 xx *	
9F 13	Last Online Application Transaction Counter (ATC) Register	xx xx *	
9F 17	Personal Identification Number (PIN) Try Counter	99	
9F 27	Cryptogram Information Data (CID)	80	
9F 32	Issuer Public Key Exponent	01 00 01	
9F 36	Application Transaction Counter (ATC)	xx xx *	
9F 38	Processing Options Data Object List (PDOL)	9F 59 03 9F 5A 01 9F 02 06 9F 1A 02 5F 2A 02 9F 37 04 9F 58 01	
9F 42	Application Currency Code	01 24 - CAD	
9F 44	Application Currency Exponent	02	
9F 46	ICC Public Key Certificate	1A DE DA BC E2 D5 16 CD 48 3F F0 08 9F 8B E2 ED 7B 6B 97 1E BA C3 DF 68 C6 DE A1 86 B4 B3 FD AE 21 E7 AC 2B C4 B0 14 CC 3F 9C 77 37 1F 57 3F 18 F3 C9 EB 5F 74 BC D7 EF 6B A8 66 16 68 82 59 C8 2A 65 15 F0 30 56 DD DD 02 1F ED E0 7F B1 F2 76 76 3B 6C 0E 13 67 C3 23 C3 D3 75 ED F5 1B 63 E5 67 8E 97 D7 0B 10 32 60 7C DA 28 B8 62 A2 1B 4E 46 FA 2D E5 C9 0A E9 DF 89 D0 F2 C2 60 6A 4B 74 19 2F 2B BF BB DB 16 C2 7A 8E 1D D0 02 D3 A0 69 F3 DD 12 69 9F 72 1B F8 E9 26 46 0F 36 3D A0 75 E9 62 35 DB 9E C0 B5 A3 F4 54 00 2D B9 07 A2 12	
9F 47	ICC Public Key Exponent	01 00 01	
9F 48	ICC Public Key Remainder	D4 4C EF 65 FC EC 69 10 49 DF	
9F 4A	Static Data Authentication Tag List	82	
9F 4D	Transaction Log Entry	0B 0A	
9F 4F	Transaction Log Format	9F 02 06 5F 2A 02 9A 03 9F 36 02 9F 1A 02 95 05 9C 01 8A 02	
9F 52	Merchant Type Indicator Limits 01	00 00 00 02 50 01 99 99 99 99 99 99	
9F 54	Merchant Type Indicator Limits 02	00 00 00 02 50 01 99 99 99 99 99 99	
9F 55	Merchant Type Indicator Limits 03	00 00 00 02 50 01 99 99 99 99 99 99	
9F 56	Merchant Type Indicator Limits 04	00 00 00 02 50 01 99 99 99 99 99 99	
9F57	Merchant Type Indicator Limits 05	00 00 00 02 50 01 99 99 99 99 99 99	
9F 62	Card Product Code [InteracFlash]	00 01	
9F 63	Card Transaction Information [InteracFlash]	00 10 00 00	
9F 70	Form Factor Indicator [InteracFlash]	00	
DF 62	Application Selection Flag [Canada]	80 80	

\* Tag value changes with card usage

## 1.2 Test Card 02 - Interac, DI, 1-AID (Interac), French/English, CAN, CAD

A Dual Interface (Contact / Contactless), Interac (Canadian) debit card with an Issuer Country Code of 'Canada' and Currency Code of 'CAD'. Languages supported are French and English.

All Merchant Type Indicator (MTI) Limits (tags 9F52, 9F54, 9F55, 9F56, 9F57) set to \$250.01

The recommended transaction amount to generate a host approval is \$10.00.

### 1.2.1 Contact: CVM List - Interac, AID A000002771010 (EMV)

Cardholder Verification Method List ('0403 0103 0203')			
CVM	Verification Method	Conditions	If unsuccessful
1	Offline Enciphered PIN	Terminal supports CVM type	Fail
2	Offline Plaintext PIN	Terminal supports CVM type	Fail
3	Online PIN	Terminal supports CVM type	Fail

### 1.2.2 Contact: Application Tag data, AID A000002771010 (EMV)

Tag	Element name	Data	v5.x
50	Application Label	49 6E 74 65 72 61 63 - 'Interac'	
57	Track 2 Equivalent Data	00 12 03 00 00 00 00 03 D2 81 22 20 08 97 74 00 00 00 1F	
5A	Application Primary Account Number (PAN)	00 12 03 00 00 00 00 03	
5F 20	Cardholder Name	55 41 54 20 49 4E 54 46 4C 2F 54 45 53 54 20 43 41 52 44 20 30 32 20 20 20 20 - 'UAT INTFL/Test Card 02	
5F 24	Application Expiration Date	28 12 31	
5F 25	Application Effective Date	xx xx xx	
5F 28	Issuer Country Code	01 24 - CAN	
5F 2D	Language Preference	66 72 65 6E - 'fren' (French, English)	
5F 30	Service Code	02 20	
5F 34	Application PAN Sequence Number	01	
5F 56	Issuer Country Code (alpha3 format)	43 41 4E - 'CAN'	
82	Application Interchange Profile	19 00 BYTE 1: b7 - Offline SDA NOT supported b6 - Offline DDA NOT supported b5 - Cardholder verification supported b4 - Terminal risk mgmt to be performed b3 - Issuer authentication NOT supported b1 - Combined DDA / GEN AC supported BYTE 2: b8 - EMV Contactless NOT supported	
84	Dedicated File (DF) Name	A0 00 00 02 77 10 10	
87	Application Priority Indicator	01	
8C	Card Risk Management Data Object List 1 (CDOL1)	9F 02 06 9F 03 06 9F 1A 02 95 05 5F 2A 02 9A 03 9C 01 9F 37 04 9F 45 02 9F 4C 08 9F 34 03	
8D	Card Risk Management Data Object List 2 (CDOL2)	91 0A 8A 02 95 05 9F 37 04 9F 4C 08	
8E	Cardholder Verification Method (CVM) List	00 00 00 00 00 00 00 00 04 03 01 03 02 03	
8F	Certification Authority Public Key Index	07	

Tag	Element name	Data	v5.x
90	Issuer Public Key Certificate	7E 37 FF 15 A4 88 1C 32 6D 5F 61 E4 D7 4A 00 39 24 76 D5 44 80 B9 16 92 4A 70 65 B7 B3 40 F3 1F A4 86 84 E1 99 CE 82 DA 3F F6 0C 77 4A 13 D0 0B C8 46 7B 87 1C 9E 00 40 28 FA 44 D9 55 38 0E D5 50 F9 F0 C8 B0 3B 3F 9A CE 0F FA FA 8B A6 B4 0C F9 69 A9 72 AF C9 D1 EC 56 25 A0 0B B8 0E E0 38 6E 57 22 BD FC 5C 7D 89 0C 71 5F 54 67 4F CE B2 0B 5E 0E 80 E8 77 0B 59 9E A4 E6 15 D8 60 2D 30 37 F4 CB B2 CC 6F 4D B2 99 34 78 FC CE 47 A5 23 59 AA 00 A4 94 C5 87 BB D3 2F 3B 64 A9 2E F8 77 47 25 66 A1 A7 24 F2 0B BB C8 24 26 9C 34 80 22 EF E7 83 85 13 A7 AD 3B DE 7B 2B 3D B8 8F 5F B3 A1 DA 45 B8 38 14 16 A1 0F 77 7E 55 07 B8 05 48 33 D3 99 97 C1 5B 34 34 E0 86 A7 B6 7F 6B B0 29 60 E1 F5 59 20 DC 2E 12 38 91 DA 23 34 03 AA D3 97 75 0F 44 56 09 CD 2A	
94	Application File Locator (AFL)	08 01 04 00 10 01 01 01 18 01 04 01	
9F 07	Application Usage Control	FF 00 BYTE 1: b8 - Domestic cash trans. valid b7 - Int'l cash transactions valid b6 - Domestic goods valid b5 - International goods valid b4 - Domestic services valid b3 - International services valid b2 - ATMs valid b1 - non-ATM terminals valid BYTE 2: b8 - Domestic cashback NOT allowed b7 - International cashback NOT allowed	
9F 08	Application Version Number	00 02	
9F 0D	Issuer Action Code - Default	FC 78 FC A8 40	
9F 0E	Issuer Action Code - Denial	00 00 00 00 00	
9F 0F	Issuer Action Code - Online	FC F8 FC F8 70	
9F 10	Issuer Application Data [InteracFlash]	xx 02 xx *	
9F 13	Last Online Application Transaction Counter (ATC) Register	xx xx *	
9F 17	Personal Identification Number (PIN) Try Counter	99	
9F 27	Cryptogram Information Data (CID)	80	
9F 32	Issuer Public Key Exponent	01 00 01	
9F 36	Application Transaction Counter (ATC)	xx xx *	
9F 42	Application Currency Code	01 24 - CAD	
9F 44	Application Currency Exponent	02	

Tag	Element name	Data	v5.x
9F 46	ICC Public Key Certificate	09 30 EB E0 49 24 73 FD 85 3E DF AA CC D7 C6 A1 34 E4 01 8C 4F 8D 42 EE F9 36 0E 63 32 3D 71 50 73 CF ED 21 2C 2C 63 EE 84 60 1F 55 1E 11 66 D9 56 79 DB 93 90 FC 06 61 1D 87 E1 C7 5E BD 73 4E C7 FE EA 9A B2 97 14 34 F3 7B 0D 2C 40 A4 20 35 69 6C 8D 61 AE FC C2 25 5C 6C BB 34 31 AB 5F AB EF 9D 26 C1 44 79 90 1F B2 DB 12 F9 39 CD FE 1E 2D CD E0 F9 A2 C1 B7 8D AE C6 1A 43 ED 91 28 F7 BE A4 3D D0 30 92 59 31 4C E8 16 F8 67 CA 22 7C 25 78 21 99 5E A6 D4 BE 6C 09 79 50 61 76 9F 4A C0 32 D3 D7 7F 35 84 CE 1E 96 64 03 6F C2 AC 5D	
9F 47	ICC Public Key Exponent	01 00 01	
9F 48	ICC Public Key Remainder	24 01 0D 0E C1 CD 9A 53 1E ED	
9F 4A	Static Data Authentication Tag List	82	
9F 4D	Transaction Log Entry	0B 0A	
9F 4F	Transaction Log Format	9F 02 06 5F 2A 02 9A 03 9F 36 02 9F 1A 02 95 05 9C 01 8A 02	
9F 62	Card Product Code [InteracFlash]	00 01	
9F 70	Form Factor Indicator [InteracFlash]	00	
DF 62	Application Selection Flag [Canada]	80 80	

\* Tag value changes with card usage

**1.2.3 CTLS: CVM List - Interac Flash, AID A000002771010 (Flash)**

Cardholder Verification Method List ('0203 1F03')			
CVM	Verification Method	Conditions	If unsuccessful
1	Online PIN	Terminal supports CVM type	Fail
2	No CVM required	Terminal supports CVM type	Fail

**1.2.4 CTLS: Application Tag data, AID A000002771010 (Flash)**

Tag	Element name	Data	v5.x
50	Application Label	49 6E 74 65 72 61 63 - 'Interac'	
57	Track 2 Equivalent Data	00 12 03 00 00 00 00 03 D2 81 22 20 08 97 74 00 00 00 1F	
5A	Application Primary Account Number (PAN)	00 12 03 00 00 00 00 03	
5F 24	Application Expiration Date	28 12 31	
5F 25	Application Effective Date	xx xx xx	
5F 28	Issuer Country Code	01 24 - CAN	
5F 2D	Language Preference	66 72 65 6E - 'fren' (French, English)	
5F 30	Service Code	02 20	
5F 34	Application PAN Sequence Number	01	
5F 56	Issuer Country Code (alpha3 format)	43 41 4E - 'CAN'	

Tag	Element name	Data	v5.x
82	Application Interchange Profile	01 00 BYTE 1: b7 - Offline SDA NOT supported b6 - Offline DDA NOT supported b5 - Cardholder verification NOT supported b4 - Terminal risk mgmt NOT to be performed b3 - Issuer authentication NOT supported b1 - Combined DDA / GEN AC supported BYTE 2: b8 - EMV Contactless NOT supported	
84	Dedicated File (DF) Name	A0 00 00 02 77 10 10	
87	Application Priority Indicator	01	
8C	Card Risk Management Data Object List 1 (CDOL1)	9F 02 06 9F 03 06 9F 1A 02 95 05 5F 2A 02 9A 03 9C 01 9F 37 04 9F 45 02 9F 4C 08 9F 34 03	
8F	Certification Authority Public Key Index	07	
90	Issuer Public Key Certificate	7E 37 FF 15 A4 88 1C 32 6D 5F 61 E4 D7 4A 00 39 24 76 D5 44 80 B9 16 92 4A 70 65 B7 B3 40 F3 1F A4 86 84 E1 99 CE 82 DA 3F F6 0C 77 4A 13 D0 0B C8 46 7B 87 1C 9E 00 40 28 FA 44 D9 55 38 0E D5 50 F9 F0 C8 B0 3B 3F 9A CE 0F FA FA 8B A6 B4 0C F9 69 A9 72 AF C9 D1 EC 56 25 A0 0B B8 0E E0 38 6E 57 22 BD FC 5C 7D 89 0C 71 5F 54 67 4F CE B2 0B 5E 0E 80 E8 77 0B 59 9E A4 E6 15 D8 60 2D 30 37 F4 CB B2 CC 6F 4D B2 99 34 78 FC CE 47 A5 23 59 AA 00 A4 94 C5 87 BB D3 2F 3B 64 A9 2E F8 77 47 25 66 A1 A7 24 F2 0B BB C8 24 26 9C 34 80 22 EF E7 83 85 13 A7 AD 3B DE 7B 2B 3D B8 8F 5F B3 A1 DA 45 B8 38 14 16 A1 0F 77 7E 55 07 B8 05 48 33 D3 99 97 C1 5B 34 34 E0 86 A7 B6 7F 6B B0 29 60 E1 F5 59 20 DC 2E 12 38 91 DA 23 34 03 AA D3 97 75 0F 44 56 09 CD 2A	
94	Application File Locator (AFL)	08 01 04 00 10 01 05 03	
9F 07	Application Usage Control	FF 00 BYTE 1: b8 - Domestic cash trans. valid b7 - Int'l cash transactions valid b6 - Domestic goods valid b5 - International goods valid b4 - Domestic services valid b3 - International services valid b2 - ATMs valid b1 - non-ATM terminals valid BYTE 2: b8 - Domestic cashback NOT allowed b7 - International cashback NOT allowed	
9F 08	Application Version Number	00 02	
9F 0D	Issuer Action Code - Default	FC F8 FC F8 00	
9F 0E	Issuer Action Code - Denial	00 00 00 00 00	
9F 0F	Issuer Action Code - Online	FC F8 FC F8 00	

Tag	Element name	Data	v5.x
9F 10	Issuer Application Data [InteracFlash]	xx 02 xx *	
9F 13	Last Online Application Transaction Counter (ATC) Register	xx xx *	
9F 17	Personal Identification Number (PIN) Try Counter	99	
9F 27	Cryptogram Information Data (CID)	80	
9F 32	Issuer Public Key Exponent	01 00 01	
9F 36	Application Transaction Counter (ATC)	xx xx *	
9F 38	Processing Options Data Object List (PDOL)	9F 59 03 9F 5A 01 9F 02 06 9F 1A 02 5F 2A 02 9F 37 04 9F 58 01	
9F 42	Application Currency Code	01 24 - CAD	
9F 44	Application Currency Exponent	02	
9F 46	ICC Public Key Certificate	02 6B 4A 23 26 F0 D6 FF 93 F5 83 FA FD 7D 9C 5C 8B 75 70 F0 3B 01 D2 60 8A E1 0A 6D EB D4 6A BA BC C2 5E C2 8A 8D 72 22 B4 A5 4A EC 37 99 76 FF A9 75 C1 3C B9 64 D6 5E 52 B4 6E 61 BB DB A2 8F 55 93 7C 60 C8 AD CE 63 CE A9 E6 65 94 5D 48 83 0C B1 52 2F 03 18 12 70 59 54 9B FF 2E 60 AA ED 3F D4 B7 32 0F B7 71 F0 AD 53 81 D9 5F DC 4E 77 40 C6 08 70 11 4C 4E 07 D1 08 82 23 85 8C 4E 83 B4 FF 19 3D 99 4F 9E AC ED 67 88 F7 B9 81 6A B8 73 2D 0F 5A AD DB 92 CB 40 10 75 56 37 EF FB D4 4F 4A 8F 99 9C C5 FC 08 88 27 D1 DF 8C 5F 4B 1A	
9F 47	ICC Public Key Exponent	01 00 01	
9F 48	ICC Public Key Remainder	24 01 0D 0E C1 CD 9A 53 1E ED	
9F 4A	Static Data Authentication Tag List	82	
9F 4D	Transaction Log Entry	0B 0A	
9F 4F	Transaction Log Format	9F 02 06 5F 2A 02 9A 03 9F 36 02 9F 1A 02 95 05 9C 01 8A 02	
9F 52	Merchant Type Indicator Limits 01	00 00 00 02 50 01 99 99 99 99 99 99	
9F 54	Merchant Type Indicator Limits 02	00 00 00 02 50 01 99 99 99 99 99 99	
9F 55	Merchant Type Indicator Limits 03	00 00 00 02 50 01 99 99 99 99 99 99	
9F 56	Merchant Type Indicator Limits 04	00 00 00 02 50 01 99 99 99 99 99 99	
9F 57	Merchant Type Indicator Limits 05	00 00 00 02 50 01 99 99 99 99 99 99	
9F 62	Card Product Code [InteracFlash]	00 01	
9F 63	Card Transaction Information [InteracFlash]	00 10 00 00	
9F 70	Form Factor Indicator [InteracFlash]	00	
DF 62	Application Selection Flag [Canada]	80 80	

\* Tag value changes with card usage

## Chapter 2 - ASCII Character Conversion Chart

Dec	Bin	Hex	Char	Dec	Bin	Hex	Char	Dec	Bin	Hex	Char
00	00000000	00	<b>NUL</b>	44	00101100	2C	,	88	01011000	58	<b>X</b>
01	00000001	01	<b>SOH</b>	45	00101101	2D	-	89	01011001	59	<b>Y</b>
02	00000010	02	<b>STX</b>	46	00101110	2E	.	90	01011010	5A	<b>Z</b>
03	00000011	03	<b>ETX</b>	47	00101111	2F	/	91	01011011	5B	[
04	00000100	04	<b>EOT</b>	48	00110000	30	<b>0</b>	92	01011100	5C	\
05	00000101	05	<b>ENQ</b>	49	00110001	31	<b>1</b>	93	01011101	5D	]
06	00000110	06	<b>ACK</b>	50	00110010	32	<b>2</b>	94	01011110	5E	^
07	00000111	07	<b>BEL</b>	51	00110011	33	<b>3</b>	95	01011111	5F	_
08	00001000	08	<b>BS</b>	52	00110100	34	<b>4</b>	96	01100000	60	`
09	00001001	09	<b>HT</b>	53	00110101	35	<b>5</b>	97	01100001	61	<b>a</b>
10	00001010	0A	<b>LF</b>	54	00110110	36	<b>6</b>	98	01100010	62	<b>b</b>
11	00001011	0B	<b>VT</b>	55	00110111	37	<b>7</b>	99	01100011	63	<b>c</b>
12	00001100	0C	<b>FF</b>	56	00111000	38	<b>8</b>	100	01100100	64	<b>d</b>
13	00001101	0D	<b>CR</b>	57	00111001	39	<b>9</b>	101	01100101	65	<b>e</b>
14	00001110	0E	<b>SO</b>	58	00111010	3A	:	102	01100110	66	<b>f</b>
15	00001111	0F	<b>SI</b>	59	00111011	3B	;	103	01100111	67	<b>g</b>
16	00010000	10	<b>DLE</b>	60	00111100	3C	<	104	01101000	68	<b>h</b>
17	00010001	11	<b>DC1</b>	61	00111101	3D	=	105	01101001	69	<b>i</b>
18	00010010	12	<b>DC2</b>	62	00111110	3E	>	106	01101010	6A	<b>j</b>
19	00010011	13	<b>DC3</b>	63	00111111	3F	?	107	01101011	6B	<b>k</b>
20	00010100	14	<b>DC4</b>	64	01000000	40	@	108	01101100	6C	<b>l</b>
21	00010101	15	<b>NAK</b>	65	01000001	41	<b>A</b>	109	01101101	6D	<b>m</b>
22	00010110	16	<b>SYM</b>	66	01000010	42	<b>B</b>	110	01101110	6E	<b>n</b>
23	00010111	17	<b>ETB</b>	67	01000011	43	<b>C</b>	111	01101111	6F	<b>o</b>
24	00011000	18	<b>CAN</b>	68	01000100	44	<b>D</b>	112	01110000	70	<b>p</b>
25	00011001	19	<b>EM</b>	69	01000101	45	<b>E</b>	113	01110001	71	<b>q</b>
26	00011010	1A	<b>SUB</b>	70	01000110	46	<b>F</b>	114	01110010	72	<b>r</b>
27	00011011	1B	<b>ESC</b>	71	01000111	47	<b>G</b>	115	01110011	73	<b>s</b>
28	00011100	1C	<b>FS</b>	72	01001000	48	<b>H</b>	116	01110100	74	<b>t</b>
29	00011101	1D	<b>GS</b>	73	01001001	49	<b>I</b>	117	01110101	75	<b>u</b>
30	00011110	1E	<b>RS</b>	74	01001010	4A	<b>J</b>	118	01110110	76	<b>v</b>
31	00011111	1F	<b>US</b>	75	01001011	4B	<b>K</b>	119	01110111	77	<b>w</b>
32	00100000	20	<b>SP</b>	76	01001100	4C	<b>L</b>	120	01111000	78	<b>x</b>
33	00100001	21	<b>!</b>	77	01001101	4D	<b>M</b>	121	01111001	79	<b>y</b>
34	00100010	22	<b>"</b>	78	01001110	4E	<b>N</b>	122	01111010	7A	<b>z</b>
35	00100011	23	<b>#</b>	79	01001111	4F	<b>O</b>	123	01111011	7B	{
36	00100100	24	<b>\$</b>	80	01010000	50	<b>P</b>	124	01111100	7C	
37	00100101	25	<b>%</b>	81	01010001	51	<b>Q</b>	125	01111101	7D	}
38	00100110	26	<b>&amp;</b>	82	01010010	52	<b>R</b>	126	01111110	7E	~
39	00100111	27	<b>'</b>	83	01010011	53	<b>S</b>	127	01111111	7F	<b>DEL</b>
40	00101000	28	<b>(</b>	84	01010100	54	<b>T</b>				
41	00101001	29	<b>)</b>	85	01010101	55	<b>U</b>				
42	00101010	2A	<b>*</b>	86	01010110	56	<b>V</b>				
43	00101011	2B	<b>+</b>	87	01010111	57	<b>W</b>				