



# User Acceptance Test (UAT) Flash EMV™ Test Card Set Summary

Version 3.00

September, 2017

Powered by **B2»**

## **Disclaimer**

Information provided in this document describes capabilities available at the time of developing and delivering this document and the associated test cards and information available from industry sources. This document is intended to be used as a guideline only and B2 Payment Solutions, Inc. and/or its affiliates accept no liability for any errors or omissions in this document and/or for any results of client's reliance thereon.

## **Copyright**

© 2017 by B2 Payment Solutions, Inc. All rights reserved. All information and data contained herein and within the associated test cards is confidential and proprietary to B2 Payment Solutions. Such information shall not be disclosed, duplicated, reverse-engineered or used in part or in whole, for any purpose without prior written consent from B2 Payment Solutions, Inc. other than specific internal, non-commercial, non-assignable use in conjunction with the UL UAT Flash EMV™ Test Card Set (2 cards) only.

## **Attribution**

EMV™ is a trademark owned by EMVCo LLC.

All trademarked symbols seen below are registered trademarks of their respective organizations: American Express Company, Discover Financial Services, Interac Association, Debit Network Alliance LLC, Mastercard International Incorporated and Visa Inc.



## **B2 Contact Information**

251 Consumers Road, Suite 1200, Toronto, ON M2J 4R3  
555 Northpoint Center, Suite 400, Alpharetta, GA 30022  
Tel: 416.730.9827 [www.b2ps.com](http://www.b2ps.com)

## Revision History

Version	Date	Updated By	Revisions
1.00	July 13 , 2017	B2PS	<ul style="list-style-type: none"><li>• Initial document release</li></ul>
2.00	July 19, 2017	B2PS	<ul style="list-style-type: none"><li>• TC01, TC02 updated: v2.0 are contactless-enabled without need for prior contact host-approval transaction</li><li>• Several typos corrected.</li></ul>
2.10	Sept.27, 2017	B2PS	<ul style="list-style-type: none"><li>• Added cautionary note re BIN 196730</li></ul>
3.00	Sept.29, 2017	B2PS	<ul style="list-style-type: none"><li>• TC01, TC02 updated: v3.0 have a limitless Card Total Contactless Spend.</li></ul>



## Table of Contents

<b>Chapter 1 - UL User Acceptance Test Flash Test Card Set Profiles.....</b>	<b>2</b>
<b>1.1 Test Card 01 - Interac, DI, 1-AID(Interac), English/French, CAN, CAD.....</b>	<b>3</b>
1.1.1 Contact Interface: CVM List - Interac, AID A0000002771010.....	3
1.1.2 Contactless Interface: CVM List - Interac Flash, AID A0000002771010 .....	3
<b>1.2 Test Card 02 - Interac, DI, 1-AID(Interac), French/English, CAN, CAD.....</b>	<b>3</b>
1.2.1 Contact Interface: CVM List - Interac, AID A0000002771010.....	3
1.2.2 Contactless Interface: CVM List - Interac Flash, AID A0000002771010 .....	3



**CAUTION**

Multiple consecutive incorrect PIN entry attempts may result in the card being blocked.  
This is known as being 'PIN Blocked'.  
If this occurs, it will no longer be possible to enter an Offline PIN,  
which will cause all future transactions to be declined.

**\*\*\* It is not possible to unblock a 'PIN Blocked' card \*\*\***

**NOTICE**

Interac Flash cards have a '1xxxx' BIN range. These cards are supported by all Canadian processors but are not yet supported by all U.S. and international processors.

**\*\*\* Check with your acquirer account representative to determine if the Interac Flash BIN range is supported by their development host. If your processor does not yet support Interac Flash, the card will function properly at the POS but it will not obtain a host approval. \*\*\***

## Chapter 1 - UL User Acceptance Test Flash Test Card Set Profiles

This User Acceptance Test (UAT) Flash Test Card Set contains 2 Interac cards.



	Test Card 01	Test Card 02
<b>Brand</b>	Interac	Interac
<b>Description (Card - Types)</b>	Canadian Debit	Canadian Debit
<b>AID list</b>	A0000002771010	A0000002771010
<b>PAN list</b>	196730 ***** 8644	196730 ***** 8644
<b>Expiry Date</b>	12/2022	12/2022
<b>Service Code</b>	220	220
<b>Interface</b>	Contactless, Contact, MSR	Contactless, Contact, MSR
<b>CVM</b>	<a href="#">See card definition</a>	<a href="#">See card definition</a>
<b>Approval Amount</b>	\$10.00	\$10.00
<b>Issuer Country Code</b>	124 - CAN	124 - CAN
<b>Application Currency Code</b>	124 -CAD	124 - CAD
<b>Language</b>	'enfr' - English, French	'fren' - French, English
<b>Card Version</b>	v3.0	v3.0



## 1.1 Test Card 01 - Interac, DI, 1-AID(Interac), English/French, CAN, CAD

A Dual Interface (Contact+Contactless), 1-AID(Interac) Interac (Canadian) debit card with an Issuer Country Code of 'Canada' and Currency Code of 'CAD'. Languages supported are English and French.

The recommended transaction amount to generate a host approval is \$10.00.

### 1.1.1 Contact Interface: CVM List - Interac, AID A0000002771010

Cardholder Verification Method List ('0103 0203')			
CVM	Verification Method	Conditions	If unsuccessful
1	Offline Plaintext PIN	Terminal supports CVM type	Fail
2	Online PIN	Terminal supports CVM type	Fail

### 1.1.2 Contactless Interface: CVM List - Interac Flash, AID A0000002771010

Cardholder Verification Method List ('0203 1F03')			
CVM	Verification Method	Conditions	If unsuccessful
1	Online PIN	Terminal supports CVM type	Fail
2	No CVM required	Terminal supports CVM type	Fail

## 1.2 Test Card 02 - Interac, DI, 1-AID(Interac), French/English, CAN, CAD

A Dual Interface (Contact+Contactless), 1-AID(Interac) Interac (Canadian) debit card with an Issuer Country Code of 'Canada' and Currency Code of 'CAD'. Languages supported are French and English.

The recommended transaction amount to generate a host approval is \$10.00.

### 1.2.1 Contact Interface: CVM List - Interac, AID A0000002771010

Cardholder Verification Method List ('0103 0203')			
CVM	Verification Method	Conditions	If unsuccessful
1	Offline Plaintext PIN	Terminal supports CVM type	Fail
2	Online PIN	Terminal supports CVM type	Fail

### 1.2.2 Contactless Interface: CVM List - Interac Flash, AID A0000002771010

Cardholder Verification Method List ('0203 1F03')			
CVM	Verification Method	Conditions	If unsuccessful
1	Online PIN	Terminal supports CVM type	Fail
2	No CVM required	Terminal supports CVM type	Fail